

WIN
THE RACE AGAINST
PAIN AND FEVER...



ACETANOV-N

Nimuslide 100mg + Paracetamol 325mg

TABLETS

Nimesulide

- NSAID with preferential inhibitory activity on cyclooxygenase 2 (COX-2) enzyme¹
- Shows potent analgesic, anti-inflammatory, and antipyretic properties¹

Paracetamol

- Exhibits antipyretic and analgesic effect for mild to moderate pain states²
- Broad tolerability and first-line choice for pain management and antipyresis in a variety of patients²

PAIN, FEVER & INFLAMMATORY SYMPTOMS OF:
TOOTH EXTRACTION || FLARE-UP OF OSTEOARTHRITIS || DYSMENORRHOEA
POSTOPERATIVE PAIN || SPORTS INJURIES || ENT INFLAMMATION

ACETANOV-250
Paracetamol 250mg /5ml SUSPENSION (60ml)

ACETANOV-650
Paracetamol 650mg TABLETS

1.PLoS One. 2019; 14(1): e0209264 2.Paracetamol Am J Ther. 2000 Mar;7(2):143-7.

 **NOVOLILLY™**
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

For the use of Registered Medical Practitioner or Hospital or Laboratory.

Ensure Clean and Acne-free Skin...

ACNENOV

Clindamycin 1%w/w + Nicotinamide 4%w/w GEL (20GM) Gel



CLINDAMYCIN

- Inhibits the growth of P.acnes and reduces inflammation¹
- High penetration with good efficacy & tolerability²

NICOTINAMIDE

- Stabilizes epidermal barrier function and improves the moisture content³
- Anti-inflammatory effects: helps to reduce post acne erythema³
- Anti-pigmentary effects: helps to reduce the severity of post-inflammatory hyperpigmentation³

For the use of Registered Medical Practitioner or Hospital or Laboratory.

Mild-Moderate Acne Vulgaris

¹ Indian J Dermatol. 2011 Jan-Feb; 56(1): 7–13 ² https://www.jcdr.net/article_fulltext.asp?issn=0973-709x&year=2014&month=August&volume=8&issue=8&page=&id=4769
³ J Res Med Sci. 2013 Feb; 18(2): 115–117.

Safeguard Children from Pain and Fever...

AFENAC-P

Aceclofenac 50mg + Paracetamol 125mg **SUSPENSION (60ML)**



Aceclofenac

- Phenylacetic acid derivative with anti-inflammatory and analgesic properties¹
- Improved gastrointestinal tolerability compared to diclofenac¹

Paracetamol

- Antipyretic effect: Alleviates secondary effects of fever like dehydration²

**MILD TO MODERATE PAIN & FEVER
INFLAMMATORY CONDITIONS OF EAR, NOSE & THROAT
DENTAL PAIN**

1. Drugs volume 52, pages 113–124 (1996) 2. BMC Pediatr. 2018; 18: 201.

**When Pain Affects Life Negatively,
Bring Back Positivity with...**

AFENOV-SP

Aceclofenac 100mg + Paracetamol 325mg + Serratiopeptidase 15mg **TABLETS**



Aceclofenac

Rapid onset, long action & superior tolerability profile compared to diclofenac¹

Paracetamol

Shows analgesic & antipyretic effect, thus reduces pain and fever²

Serratiopeptidase

Proteolytic enzyme: Shows antiedemic, fibrinolytic and caesinolytic properties³

Combination

Effective analgesic, anti-inflammatory drug for controlling pain and inflammation after surgical procedures

For the use of Registered Medical Practitioner or Hospital or Laboratory.

RESOLUTION OF INFLAMMATION AND PAIN DUE TO BONE AND SOFT TISSUE INJURY

RESOLUTION OF POST-OPERATIVE INFLAMMATION, EDEMA AND PAIN

AFENOV-MR

Aceclofenac 100mg + Paracetamol 325mg + Chlorzoxazone 250mg
TABLETS

AFENOV-P

Aceclofenac 100mg + Paracetamol 325mg **TABLETS**
Aceclofenac + Paracetamol **SUSPENSION**

AFENOV-TH

Aceclofenac 100mg + Thiocolchicoside 4mg **TABLETS**

1.J Pharmacol Pharmacother. 2013 Apr-Jun; 4(2): 144–145. 2.ParacetamolInflammopharmacology. 2013 Jun;21(3):201-32 3.J Clin Diagn Res. 2016 Aug; 10(8): ZD31–ZD32.
4.PARFLEX J Indian Med Assoc. 2008 Jun;106(6):409-11.

ALKANOV

Disodium Hydrogen Citrate 1.38gm/ 5ml SYRUP (100ml)



Restore the Alkalinity of urine...



- Raises urine pH and aids in the symptomatic relief of dysuria¹
- Improves glomerular filtration rates by suppression of uric acid crystallization²
- Facilitates renal excretion of the uric acid, thus reduces serum uric acid levels³

For the use of Registered Medical Practitioner or Hospital or Laboratory.

Burning Micturition

Uric Acid Nephropathy

Kidney Stones

Urinary Tract Infections

Metabolic Acidosis

1.Cochrane Database Syst Rev. 2016 Apr; 2016(4): CD010745. 2.Jpn Clin Med. 2013; 4:1-6. 3.Endocr Res. 2010; 35(4): 145–154.

**Keep the
Intestine Secure
Against the Harmful
Bacterial Growth...**



ARGINOV

Saccharomyces Boulardii 141.5mg + Fructo Oligo Saccharide 100mg +
Lactic Acid Bacillus 100 Million Spores + Elemental Zinc 10mg

SACHET

Prebiotics + Probiotics:

- ◀ Improves immunity by increasing the population of protective microorganisms¹
- ◀ Safe and effective for the prevention of traveller's diarrhea¹
- ◀ Beneficial and effective in patients with inflammatory bowel disease²

Zinc:

- ◀ Improves absorption of water & electrolytes by the intestines³

Traveller's Diarrhea

Antibiotic Associated Diarrhea

Gastroenteritis || Inflammatory Bowel Disease

As Co-RX in Bacterial Vaginosis

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1.Foods. 2019 Mar; 8(3): 92. 2.Travel Med Infect Dis. 2007 Mar;5(2):97-105. 3.J Health Popul Nutr. 2008 Sep; 26(3): 356-365.

The Right Armament in War against Malaria...

ARTENOVAB

Alpha-Beta Arteether 150mg INJECTION

Leads to lipid peroxidation and inhibits the protein synthesis, thus results in lysis of the parasite¹

Shows longer elimination half life and increased chemical stability than the other artemisinin compounds²

Safe and efficacious in reducing the symptoms through rapid clearance of parasitemia³



For the use of Registered Medical Practitioner or Hospital or Laboratory.

CHLOROQUINE RESISTANT MALARIA
P. FALCIPARUM MALARIA
CEREBRAL MALARIA

1. Antimicrob Agents Chemother. 2017 Sep; 61(9): e02177-16. 2. Cochrane Database Syst Rev. 2004 Oct; 2004(4): CD004391. 3. alpha/beta-arteether Am J Trop Med Hyg. 2006 Jul;75(1):139-42.

BECOLILLY

Lactic Acid Bacillus & Vitamin B complex **CAPSULES**

Vitamin B Complex + L-Lysine **SYRUP (200ml)**



**BECOME GUT
HEALTHY
TO BECOME
HEALTHY...**

LACTIC ACID BACILLUS

- Maintains healthy gastrointestinal environment with an improved intestinal function¹
- Enhances the hosts resistance to enteric pathogens such as *Salmonella* and *Campylobacter* species¹

VITAMIN B-COMPLEX

- Promotes protein, lipid, nucleic acid synthesis, energy production and immune defence²

For the use of Registered Medical Practitioner or Hospital or Laboratory.

**INFECTED DIARRHOEA
GASTRO-INTESTINAL INFECTIONS
APHTHOUS STOMATITIS
ADJUVANT TO ANTIBIOTIC THERAPY**

1. Asian-Australas J Anim Sci. 2012 Sep; 25(9): 1285–1293. 2. Oxid Med Cell Longev. 2019; 2019: 6082613.



BETANOV-MS

Povidone-iodine + Sucralfate + Metronidazole OINTMENT



**Better the
Process of
Wound
Healing....**

POVIDONE-IODINE

- Broad-spectrum antiseptic with rapid, potent action, & good tolerability¹
- Promotes wound healing; effective against biofilms with favorable risk/benefit profile¹

SUCRALFATE

- Heals several types of epithelial wounds such as ulcers, inflammatory dermatitis, mucositis and burn wounds²

METRONIDAZOLE

- Reduces/eradicates wound odor, decreases wound drainage and pain³

For the use of Registered Medical Practitioner or Hospital or Laboratory.

**WOUND INFECTIONS || POST SURGICAL DRESSINGS
MINOR CUTS / ABRASIONS || BURNS / ULCERS**

1.Povidone iodine Int J Surg. 2017 Aug;44:260-268. 2. Recent Pat Inflamm Allergy Drug Discov. 2010 Jan;4(1):25-36
3.Metronidazole Ostomy Wound Manage. 2008 Mar;54(3):18-27; quiz 28-9.



**FIX THE
LOST CALCIUM;
REGAIN BONE
STRENGTH...**

CALXNOV[®] FORTE K27

Calcitriol + Calcium Carbonate + Zinc Sulphate + Magnesium Sulphate + Methylcobalamin + Vitamin K27 + L-Methyl Folate SOFT GEL CAPSULES

- **Calcitriol & Calcium Carbonate:** Regulates calcium homeostasis¹
- **Zinc & Magnesium:** Essential for bone cell activity, thus reduces risk of osteoporosis²
- **Vitamin K27:** Promotes normal calcification and helps build strong bones³
- **Methylcobalamin + L-Methyl Folate:** Reduce homocysteine levels thus prevent osteoporosis

**OSTEOPOROSIS || OSTEOMALACIA
OSTEOPENIA || FRACTURES**

CALXNOV[®] CT

Calcium Citrate 1000mg + Vitamin D3 200 I.U. + Zinc 4mg + Magnesium 100mg TABLETS

CALXNOV[®] D3

Cholecalciferol 60,000 I.U.
NANO SHOTS / SOFTGEL CAPSULES / SACHET

CALXNOV[®] CZ

Calcium Carbonate 500mg + Calcitriol 0.25mcg + Zinc SOFTGEL CAPSULES

CALXNOV[®] D3 JUNIOR

Cholecalciferol 800 I.U. DROPS (30ml)

1. Indian J Endocrinol Metab. 2019 Jul-Aug; 23(4): 387-390. 2. J Diabetes Metab Disord. 2014; 13: 43.
3. J Pharmacol Pharmacother 2018;9:180-5



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

For the use of Registered Medical Practitioner or Hospital or Laboratory.



BACTERIAL INFECTIONS
BACTERIAL INFECTIONS
BACTERIAL INFECTIONS

DEFEND THE BODY
FROM OF FENDING
BACTERIAL INFECTIONS...

CEFUNOV⁵⁰⁰

Cefuroxime 500mg TABLETS

Shows antibacterial activity against several gram-positive and gram-negative organisms¹

Resistant to destruction by beta-lactamases produced by most most Gram-negative aerobic bacteria²

Well tolerated with few adverse events reported²

PHARYNGITIS / TONSILLITIS || ACUTE BACTERIAL OTITIS MEDIA
ACUTE BACTERIAL MAXILLARY SINUSITIS
ACUTE BACTERIAL EXACERBATIONS OF CHRONIC BRONCHITIS
UNCOMPLICATED SKIN AND SKIN-STRUCTURE INFECTIONS
UNCOMPLICATED URINARY TRACT INFECTIONS
UNCOMPLICATED GONORRHEA, URETHRAL AND ENDOCERVICAL

1.Cefuroxime Drugs 2001;61(10):1455-500. 2.Cefuroxime Drugs. 1979 Apr;17(4):233-66.



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

For the use of Registered Medical Practitioner or Hospital or Laboratory.

CEASE THE NASTY BACTERIAL INFECTIONS SAFELY...

CEPOLILLY 100

Cefpodoxime 100mg • TABLETS

Antibacterial with activity against both gram(-)ve and gram(+)ve bacteria¹

Stable against the plasmid-mediated beta-lactamases²

Safe and effective drug with low incidence of side effects³



**ACUTE OTITIS MEDIA □ PHARYNGITIS AND/OR TONSILLITIS
COMMUNITY-ACQUIRED PNEUMONIA
ACUTE BACTERIAL EXACERBATION OF CHRONIC BRONCHITIS
ACUTE, UNCOMPLICATED URETHRAL AND CERVICAL GONORRHEA
ACUTE, UNCOMPLICATED ANO-RECTAL INFECTIONS IN WOMEN
UNCOMPLICATED SKIN AND SKIN STRUCTURE INFECTIONS
ACUTE MAXILLARY SINUSITIS □ UNCOMPLICATED URINARY TRACT INFECTIONS**

For the use of Registered Medical Practitioner or Hospital or Laboratory.

CEPOLILLY 200
Cefpodoxime 200mg TABLETS

CEPOLILLY CV
Cefpodoxime 50mg + Clavulanic Acid 31.25mg DRY SYRUP 30ml

CEPOLILLY 50/100
Cefpodoxime 50,100mg DRY SYRUP 30ml

1. Cefpodoxime Paediatr Drugs. 2001;3(2):137-58. 2.Antimicrob Agents Chemother. 2003 Mar; 47(3): 897-900. 3.Cefpodoxime Indian J Pediatr. 2003 Mar;70(3):227-31

CIPRONOV^{TC}

Ciprofloxacin + Metronidazole + Terbinafine + Clobetasol OINTMENT (15gm)



**A Multipronge
Approach for
Mixed Infections and
Inflammation.....**

Ciprofloxacin: Effective and safe broad-spectrum antibiotic of the fluoroquinolone class¹

Metronidazole: Antibacterial activity against all anaerobic cocci and bacilli, both gram-(+)ve and gram-(-)ve²

Terbinafine: Interferes with fungal sterol biosynthesis at an early stage³

Clobetasol: Exhibits anti-inflammatory, immunosuppressive and anti-mitotic effect⁴

**IMPETIGO / INTERTRIGO ▶ CONTACT DERMATITIS
CHRONIC DERMATITIS ▶ ECZEMATOUS DERMATITIS
TINEA INFECTIONS / CANDIDIASIS**

1.PLoS Pathog. 2018 Mar; 14(3): e1006805. 2.Interv Med Appl Sci. 2016 Jun 1; 8(2): 68–76.
3.Indian J Dermatol. 2013 Nov-Dec; 58(6): 457–460. 4.Clobetasol propionate Drugs Today (Barc). 2008 Jul;44(7):547-57.

CLOBENOVS

Clobetasol 0.05% + Salicylic Acid 6%

OINTMENT (20gm)



**REMOVE
THE THICKENED
CRUST IN
HYPERKERATOTIC
DERMATOSES...**

CLOBETASOL

- Potent of all topical steroids, applied in the treatment of various skin diseases¹
- Shows anti-inflammatory, antipruritic, vasoconstrictive, and immune-modulating effects²

SALICYLIC ACID

- Topical keratolytic agent; it reduces the pH, thereby increasing hydration and softening³
- Leads to desquamation of corneocytes, thus reduces intercellular cohesiveness³

Steroid-responsive Dermatoses with Hyper-keratotic Skin

ECZEMA

PSORIASIS

DERMATITIS

1.Clobetasol propionate Drugs Today (Barc). 2008 Jul;44(7):547-57. 2.Clobetasol propionate Cutis. 2004 Sep;74(3):201-6.
3.Indian Dermatol Online J. 2017 Jul-Aug; 8(4): 235–245.

Get Rid of Cold Symptoms Effectively...

COLDONOV

Paracetamol 325mg + Phenylephrine 5mg + Caffeine 30mg +

Diphenhydramine 25mg TABLETS



PARACETAMOL

- ▼ Centrally acting analgesic and antipyretic, controls fever & body ache during cold¹

PHENYLEPHRINE

- ▼ Vasoconstrictor, provides relief from nasal congestion²

CAFFEINE

- ▼ Complements analgesics, thus increases the effectiveness of pain relievers³

DIPHENHYDRAMINE

- ▼ Safe & effective antihistamine⁴

For the use of Registered Medical Practitioner or Hospital or Laboratory.

COMMON COLD & COUGH WITH

Nasal & Throat Itching

Sneezing / Rhinorrhea

Blocked Nose

Fever / Body Ache

COLDONOV

Paracetamol 125mg + Phenylephrine 2.5mg + Chlorpheniramine 1mg
SUSPENSION (60ml)

1. Paracetamol J Crit Care. 201 Apr;38:245-252. 2. Clin Drug Investig. 2015; 35(9): 547-558. 3. Front Psychiatry. 2017; 8: 80.
4. J Clin Aesthet Dermatol. 2009 Oct; 2(10): 37-40.





**COMBAT THE
UNCONTROLLED
INFLAMMATION AND
ALLERGY...**

CORTINOV⁴⁰

Triamcinolone Acetonide 40mg **INJECTION (1ml)**

- ★ Shows anti-inflammatory, anti-permeability and anti-fibrotic properties¹
- ★ Acts as an anti-inflammatory drug and an immune-modulator in a variety of diseases²
- ★ Reduces synovitis and alleviates pain³
- ★ Highly effective in the management of severe intrinsic asthma cases, unsuccessfully treated by other methods

For the use of Registered Medical Practitioner or Hospital or Laboratory.

**INFLAMMATORY & ALLERGIC SYSTEMIC CONDITIONS
RHEUMATIC OR ARTHRITIC DISORDERS
MULTIPLE SCLEROSIS ★ ASTHMA**

1.Clin Ophthalmol. 2008 Dec; 2(4): 891–896. 2.Indian J Ophthalmol. 2007 Nov-Dec; 55(6): 431–435. 3Drug Deliv. 2019; 26(1): 226–236.

CURE THE AWFUL JOINT & MUSCLE PAIN ...

CURE O NOV

Massage Oil for Muscular Pain



Shows rapid action and counter irritant properties

Exhibits anti-inflammatory property to relieve pain and aches

Improves blood circulation and mobility of stiff muscles

**JOINT & MUSCULOSKELETAL PAIN || MUSCULAR STIFFNESS
LOW BACK PAIN || SPRAIN AND STRAIN || OSTEOARTHRITIS**

CURE O NOV

Roll-On For Muscular Pain



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

For the use of Registered Medical Practitioner or Hospital or Laboratory.



**DEFLECT
THE INFLAMMATION,
REFLECT THE RELIEF...**

D-CORTINOV 6

Deflazacort 6 mg TABLETS

- Synthetic Glucocorticoid with anti-inflammatory and immunosuppressant effects¹
- Bone-sparing effect; impairs intestinal calcium absorption to a lesser extent than prednisolone²
- Less negative impact on growth rate in children with diseases requiring corticosteroid therapy²
- Less diabetogenic than prednisone; smaller effect on glucose metabolism than betamethasone²

ASTHMA ■ DUCHENNE MUSCULAR DYSTROPHY
RHEUMATOID ARTHRITIS ■ JUVENILE CHRONIC ARTHRITIS
SEVERE HYPERSENSITIVITY REACTIONS ■ INFLAMMATORY SKIN CONDITIONS
ULCERATIVE COLITIS ■ AUTO IMMUNE DISEASES

D-CORTINOV 6

Deflazacort 6mg SUSPENSION (30ml)

1.Neurology. 2016 Nov 15; 87(20): 2123–2131. 2.Indian J Dermatol. 2008; 53(4): 167–170.



For the use of Registered Medical Practitioner or Hospital or Laboratory.

**DIMINISH
THE UNBEARABLE
PAIN AND
INFLAMMATION...**



DICLOLY-SP

Diclofenac Potassium 50mg + Paracetamol 325mg + Serratiopeptidase 15mg
TABLETS

DICLOFENAC: Exhibits anti-inflammatory, analgesic and antipyretic activity¹

PARACETAMOL: Safe, well tolerated and effective agent for rapid pain relief²

SERRATIOPEPTIDASE: Versatile properties including anti-inflammatory, analgesic, anti-edemic, and fibrinolytic effects³

INFLAMMATION AND PAIN DURING

**ACUTE PAINFUL INFLAMED DERMATOSES
LACERATION / SPRAIN || SPORTS INJURIES
FRACTURES & DISLOCATION
OA, RA AND ANKYLOSING SPONDYLITIS**

DICLOLY-GEL

Diclofenac Diethylamine + Linseed oil +
Methyl Salicylate + Menthol **GEL**

DICLOLY-AQ


Diclofenac Sodium 75mg **AQUA INJECTION**

DICLOLY FORTE MR

Diclofenac Potassium 50mg + Paracetamol 325mg **TABLETS**
Diclofenac Potassium 50mg + Paracetamol 325mg + Chlorzoxazone 250mg **TABLETS**

1.J Clin Diagn Res. 2014 Jul; 8(7): YD08-YD11. 2. Ann Rheum Dis. 2004 Aug; 63(8): 901-907. 3. Biotechnol Rep (Amst). 2020 Oct 17;28:e00544. doi: 10.1016/j.btre.2020.e00544.

**NEUTRALIZE
IRRITATING ACID,
EASY-OUT
THE STOMACH...**



DIGENOV-M

Magaldrate 400mg + Simethicone 20mg **ORAL SUSPENSION**

MAGALDRATE

Antacid, effective in relieving acid reflux symptoms¹

SIMETHICONE

Common additive to antacid, increases the efficacy of antacids²

Significantly improves regurgitation, flatulence, bloating & feeling of fullness

**HYPERACIDITY || DYSPEPSIA
ACID INDIGESTION || ULCERS/HEARTBURN
BLOATING / FLATULENCE**

For the use of Registered Medical Practitioner or Hospital or Laboratory.

DIGENOV

Aluminium Hydroxide 250mg + Magnesium Hydroxide 250mg
+ Simethicone 50mg **ORAL SUSPENSION**

1. Digestive Diseases and Sciences volume 51, pages 1904–1909 (2006) 2. J R Soc Med. 1990 Sep; 83(9): 554–556.



RELIEF

FORTIFY PAIN
RELIEF TO ENJOY
PAIN-FREE LIFE...

ENZOLY *Forte* TABLETS

Trypsin 48mg + Bromelain 90mg + Rutoside 100mg + Diclofenac Sodium 50mg

Trypsin: Reduces the inflammation by affecting the protease activated receptor 2 activation¹

Bromelain: Reduces neutrophil migration and pro- inflammatory cytokines secretion¹

Rutoside: Inhibits pro-inflammatory genes transcription in human macrophages¹

Diclofenac: Shows analgesic, anti-inflammatory and antipyretic property²

POST OPERATIVE PAIN & INFLAMMATION

CUTS, TOOTH EXTRACTION & ABSCESS

RA / OA / SPONDYLOYSIS / TENDONITIS / BURSITIS

SPORT INJURIES & SPRAINS || POST TRAUMATIC PAIN

FRACTURE / DISLOCATION

For the use of Registered Medical Practitioner or Hospital or Laboratory.

ENZOLY

Fungal Diastase 33.33mg + Pepsin 5mg **DROPS (30ml)**
Fungal Diastase 50mg + Pepsin 10mg **SYRUP (200ml)**

ENZOLY-PLUS

Fungal Diastase 50mg + Pepsin 10mg with Liver **SYRUP (200ml)**
Trypsin-Chymotrypsin + Diclofenac Sodium 50mg + Paracetamol 325mg **TABLETS**

.J Clin Diagn Res. 2017 Jun; 11(6): ZC09-ZC11. 2.Diclofenac Curr Med Res Opin. 2010 Jul;26(7):1715-31. RA-Rheumatoid arthritis OA-Osteoarthritis



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)



**WHEN ACID
IN THE GUT
ESCALATES,
SOOTHE IT WITH...**

ESONOVO-DSR

Esomeprazole 40mg + Domperidone 30mg **CAPSULES (SR)**

ESOMEPRAZOLE

- Inhibits the H⁺/K⁺-adenosine triphosphatase in the proton pump of gastric parietal cells¹
- More effective in maintaining intragastric pH at 4.0 or lower compared with all other PPIs¹

Domperidone

- Prokinetic; blocks the effects of endogenous dopamine in the gut²
- Speeds up gastrointestinal peristalsis and relieves symptoms of nausea and vomiting²

**GASTROESOPHAGAL REFLUX DISEASE (GERD)
DYSPEPSIA ★ CHRONIC GASTRITIS
POST-OPERATIVE NAUSEA & VOMITING
NAUSEA ASSOCIATED WITH ACID PEPTIC DISORDERS**

1.Ther Clin Risk Manag. 2007 Aug; 3(4):653-663. 2.Clin Med Insights Gastroenterol. 2017; 10:1179552217709456.


For the use of Registered Medical Practitioner or Hospital or Laboratory.



ETORINOV 90

Etoricoxib 90mg TABLETS

**CURB THE
INFLAMMATION &
PAIN IN JOINTS
AND MUSCLE...**



Inhibits cyclooxygenase-2 (COX-2) enzyme involved in pain and inflammation¹

Improved gastrointestinal safety compared with nonselective NSAIDs¹

Favorable overall safety and tolerability profile¹

Rapid onset of action with long plasma half-life¹

Acute and chronic treatment of the signs and symptoms of:

Osteoarthritis (OA) ■ **Rheumatoid arthritis (RA)**

Acute gouty arthritis ■ **Relief of acute pain**

Relief of chronic musculoskeletal pain

1. Etoricoxib Drugs Today (Barc). 2004 May;40(5):395-414.



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

For the use of Registered Medical Practitioner or Hospital or Laboratory

HEAL THE INFLAMED AND IRRITATED SKIN EASILY...

EZINOV

Mometasone Furoate 0.1%w/w **OINTMENT**



For the use of Registered Medical Practitioner or Hospital or Laboratory.

- Exhibits anti-inflammatory, anti-pruritic and vasoconstrictive properties¹
- Reduces leukotriene production and decreases the expression of adhesion molecules¹
- Shows 2 to 4 fold greater anti-inflammatory activity than both topical betamethasone dipropionate 0.05% and betamethasone valerate 0.1% ointments¹

STEROID RESPONSIVE DERMATOSES **ECZEMA || ATOPIC DERMATITIS**


1. Australas J Dermatol. 2018 Aug; 59(3): e168–e174.



DEFEAT THE HIGH LEVEL OF URIC ACID COMPLETELY...

FEBULY 40

Febuxostat 40mg TABLETS



For the use of Registered Medical Practitioner or Hospital or Laboratory.

Potent nonpurine urate-lowering drug approved by the FDA¹

Selective inhibitor of both the oxidized and reduced forms of xanthine oxidase²

Shows sustained reductions in uric acid levels & shows almost complete elimination of gout flares¹

Exhibits good safety and tolerability profile¹

Treatment of Chronic Hyperuricemia in Patients with Gout

1.Ther Adv Musculoskelet Dis. 2011 Oct; 3(5): 245–253.

2.Ther Adv Musculoskelet Dis. 2017 Feb; 9(2): 55–64.

**RESTORE THE DISTURBED FEMININE
HEALTH WITH...**

FemiNOV

Uterine Tonic SYRUP



- Effective anti-inflammatory and analgesic, relieves pain during dysmenorrhea
- Restores hormonal balance in women with fluctuating hormonal levels
- Repairs the endometrium and regulates estrogen levels

Dysmenorrhoea || Menorrhagia
Leucorrhoea || Pre-menopausal Complications

Fulfill the Need of



Red Blood Cells with...

FERRONOV-XT

Ferrous Ascorbate 100mg + Folic Acid 1500mcg + Zinc 22.5mg
TABLETS

Ferrous Ascorbate: Better absorption than ferric salts;
Improves hemoglobin recovery¹

Folic Acid: Promotes proliferation of erythroblasts and
enhances hemoglobin synthesis²

Zinc: Acts as the catalyst in iron metabolism which plays a role
in heme synthesis³

Iron Deficiency Anemia

Nutritional Deficiency Anemia

Anemia in Pregnancy

Acute and Chronic Blood Loss

FERRONOV-XT

Ferrous Ascorbate 30mg + Folic Acid 550mcg/5ml SYRUP (200ml)

Ferrous Ascorbate 10mg + Folic Acid 100mcg + Zinc 2.5mg
DROPS (30ml)

Iron Sucrose 100mg

INJECTION (5ml)

1 JAMA Netw Open. 2020 Nov; 3(11): e2023644. 2 https://doi.org/10.1146/annurev.nutr.24.012003.132306
3. Cureus. 2019 Jan; 11(1): e3811.



For the use of Registered Medical Practitioner or Hospital or Laboratory.

BREATHE FREELY
without the Complications of Allergy...

Fexolilly-M

Fexofenadine 120mg + Montelukast 10mg

TABLETS

Fexofenadine

- ▶ Selective histamine H1 receptor antagonist with anti-inflammatory property¹
- ▶ Relieves the symptoms of seasonal allergic rhinitis¹

Montelukast

- ▶ Systemically active drug with a targeted, dual mechanism of action²
- ▶ Acts both as a bronchodilator and anti-inflammatory²

RELIEF OF SYMPTOMS OF

Seasonal Allergic Rhinitis and Perennial Allergic Rhinitis
Co-morbid Asthma & Allergic Rhinitis

1.Drugs volume 59, pages301–321 (2000)

2.Expert Review of Clinical Immunology Volume 5, 2009 - Issue 6



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

For the use of Registered Medical Practitioner or Hospital or Laboratory.

Relieve Dryness
Keep Freshness
Of Eyes Intact...



Freshnou

Carboxymethylcellulose (CMC) 0.5% **EYE DROPS**

- Increases tear retention time and exhibits good bioadhesive characteristics¹
- Reduces tear film hyperosmolarity, and alleviates possible inflammation¹
- More efficacious than hyaluronate in treating dry eye disease¹

AS A LUBRICANT IN

Dry Eye Syndrome || Computer Vision Syndrome

Burning and Stinging || Occasional Irritation

Sandy Sensation

1.Korean J Fam Med. 2017 Jan; 38(1): 2-7.



For the use of Registered Medical Practitioner or Hospital or Laboratory.

**Fight The
Troublesome**

**FUN^{GAL}
INFECTIONS...**



Fungonov-K5

Ketoconazole 2% w/w + Iodochlorhydroxyquinoline 1% w/w +
Tolnaftate 1 % w/w + Neomycin Sulphate 0.10% w/w +
Clobetasol Propionate 0.05% w/w

OINTMENT

Ketoconazole: Effective, well-tolerated antifungal; improves erythema and pruritus¹

Iodochlorhydroxyquinoline: Broad-spectrum antibacterial with antifungal activity²

Tolnaftate: Antifungal agent; effective in treating mycotic infections³

Neomycin: Antimicrobial agent, prevents infections by inhibiting the protein synthesis⁴

Clobetasol: Exerts anti-inflammatory, immunosuppressive and antimitotic effects⁵

Mixed Fungal And Bacterial Infections With Pruritus Or Inflammation

Corticosteroid Responsive Dermatoses With Bacterial Or Fungal Infections

1. J Drugs Dermato. Jul-Aug 2006;5(7):646-50 2.J Mycol Med. 2018 Sep;28(3):492-501. 3.Bioorg Chem. 2020 Sep;102:104056.
4. Volume 86, Issue 3, May-June 2020, Pages 300-307 5.Drugs Today (Barc). 2008 Jul;44(7):547-57.



For the use of Registered Medical Practitioner or Hospital or Laboratory.



Gain Relief from
the Gastric Symptoms...

Gastronov-DSR

Pantoprazole 40mg + Domperidone 30mg (SR)

CAPSULES

Pantoprazole

- Safe and effective PPI that decreases gastric acid secretion¹
- Improves acid reflux-related symptoms, heals esophagitis more effectively than histamine-2 receptor antagonists¹

Domperidone

- Dopamine D2-receptor antagonist that increases motility and gastric emptying²
- Increases lower esophageal sphincter tone; reduces regurgitation and vomiting

Gastro-Oesophageal Reflux Disease (GERD)
Acute/Chronic Gastritis || Non-Ulcer Dyspepsia
Acid-Peptic Disorders

Gastronov-D
Pantoprazole 40mg + Domperidone 10mg
TABLETS

Gastronov-40
Pantoprazole Sodium 40mg
INJECTION / TABLETS

1.Clin Exp Gastroenterol. 2010; 3: 11–16. 2.Br J Clin Pharmacol. 2005 Jun; 59(6): 725–729. PPI-Proton Pump Inhibitors



**Improve
the Gut Health
with Billions of
Micro-friends...**

Gutnov-G

*Prebiotics + Probiotics with Saccharomyces boulardii + L-Glutamine
CAPSULES*

Prebiotic + Probiotics: Stimulates the growth and/or activity of bacteria in the colon, thus improves host health¹

Saccharomyces Boulardii: Probiotic yeast; modulates the host microbiome and intestinal function²

L-glutamine: Essential dietary supplement to maintain mucosal integrity and barrier function³

Infective Diarrhoea (Viral, Bacterial, Protozoal)

Antibiotic Associated Diarrhoea

Lactose Intolerance || Inflammatory Bowel Disease


Irritable Bowel Syndrome || As Co-rx In Vaginal Infections

For the use of Registered Medical Practitioner or Hospital or Laboratory.

Gutnov
Prebiotics + Probiotics **SACHET**

1. Foods. 2019 Mar; 8(3): 92. 2. J Fungi (Basel). 2020 Jun; 6(2): 78. 3. J Epithel Biol Pharmacol. 2012 Jan; 5(Suppl 1-M7): 47–54.





Purify the Blood to
Enhance Overall
Health & Beauty...

Hemolilly^{SYRUP}

Blood Purifier

- Acts as a rejuvenator and shows inflammatory and analgesic property
- Helps rejuvenate the skin and prevents skin allergies and infections
- Purifies blood and brings stability to the body
- Prevents recurrence of pimples

For the use of Registered Medical Practitioner or Hospital or Laboratory.

ACNE / PIMPLES || RASHES

HAIR LOSS || SPINNING OF HEAD

WEAKENING OF EYE SIGHT





*Revive the
Lost Appetite and
Ensure Normal Growth*

Heptanov

Cyproheptadine 2mg + Tricholine Citrate 275mg
SYRUP

For the use of Registered Medical Practitioner or Hospital or Laboratory.

Cyproheptadine

- Histamine antagonist with appetite-stimulating effect¹
- Promotes increase in body mass index¹

Tricholine Citrate

- Lipotropic agent; helps to deplete fat accumulation in liver²
- Essential nutrient for proper liver, muscle, and brain functions³

**Loss Of Appetite
Anorexia Nervosa
Drug Induced Weight Loss
Anemia, Liver Or Digestive Disorders**

1.Iran J Pediatr. 2014 Dec; 24(6): 753–758. 2.Saudi Med J. 2005 Mar;26(3):421-4. 3.Nutr Today. 2018 Nov-Dec; 53(6): 240–253.





Treat the Irritating
Fungal Infections for
Sure with...

INTRANOV- $\frac{100}{200}$

Itraconazole 100, 200mg CAPSULES

- Broad spectrum triazole agent with anti mycotic property¹
- Better drug than terbinafine in efficacy and mycological cure²
- High cure and low relapse rate than fluconazole in the treatment of vulvo-vaginal candidiasis³
- Well tolerated and significantly more effective than miconazole in treating onychomycosis⁴

Vulvo-Vaginal Candidiasis
Dermatomycoses
Onychomycosis
Pityriasis Versicolor
Systemic Mycoses

1.Drugs volume 37, pages310–344 (1989) 2.Indian J Pharmacol. 2019 Mar-Apr; 51(2): 116–119. 3.J Pak Med Assoc. 2012 Oct;62(10):1049-52.
4.Dermatology. 1998;196(3):323-9.

For the use of Registered Medical Practitioner or Hospital or Laboratory.



**Ensure Dandruff
and Itch-Free Scalp...**

KETOLYL-ZPTO

Ketoconazole 2%w/v + Zinc Pyrithione 1%w/w

SHAMPOO

Ketoconazole

- Synthetic azole compound with topical antifungal properties¹
- Controls dandruff and seborrhoeic dermatitis²

Zinc Pyrithione

- Antimicrobial compound; reduces the amount of fungus on the scalp and stops dandruff flaking³

DANDRUFF SEBORRHEIC DERMATITIS

1. Int J Womens Dermatol. 2020 Mar; 6(2): 121–122. 2. Dermatology. 2001;202(2):171-6.

3. Antimicrob Agents Chemother. 2011 Dec; 55(12): 5753–5760.

For the use of Registered Medical Practitioner or Hospital or Laboratory.



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)



**Safely Eliminate
the Allergic Symptoms...**

LEVONOV-M

Levocetirizine 5mg + Montelukast 10mg

TABLETS

Levocetirizine 2.5mg + Montelukast 4mg

SUSPENSION

Levocetirizine

- Safe and effective for treatment of allergic rhinitis¹
- More effective than fexofenadine at and later than 22 h after intake²

Montelukast

- Provides an effective and well tolerated treatment for allergic airway inflammation³
- Greater efficacy in combination with antihistamines³

Seasonal & Perennial Allergic Rhinitis

LEVONOV-5

Levocetirizine Dihydrochloride 5mg

TABLETS

1.Curr Med Chem. 2006;13(22):2711-5. 2.Br J Clin Pharmacol. 2005 Jul; 60(1): 24-31. 3.Drugs. 2007; 67(6):887-901.



For the use of Registered Medical Practitioner or Hospital or Laboratory.



*the Harmful Bacterial
Infections...*

Lillyflox-500

Levofloxacin 500mg TABLETS

For the use of Registered Medical Practitioner or Hospital or Laboratory.

- Antibacterial agent with activity against a wide range of Gram-positive, Gram-negative bacteria and atypical organisms¹
- Shows efficacy against infections, caused by both penicillin-susceptible and resistant strains of *S. pneumoniae*¹
- Exhibits rapid absorption, good tissue penetration & is well tolerated²

Community-Acquired Pneumonia

Acute Bacterial Sinusitis

Acute Bacterial Exacerbation of Chronic Bronchitis


Skin and Soft Tissue Infections

Complicated Urinary Tract Infections or Acute Pyelonephritis

1. Levofloxacin Drugs volume 63, pages 2769–2802 (2003)

2. Levofloxacin Drugs. 2008;68(4):535-65.

Give Relaxation from
**INFLAMMATION &
BACTERIAL INFECTIONS...**



LILLYMOX-KT

Moxifloxacin 0.5% + Ketrolac 0.5%

EAR/EYE DROPS

Moxifloxacin

- ◆ Bactericidal & anti-infective agent¹
- ◆ Treats bacterial conjunctivitis, keratitis & surgical prophylaxis¹

Ketorolac

- ◆ Used for the reduction of ocular pain & burning/stinging following cataract and refractive surgery²
- ◆ Reduces postsurgical inflammation & controls pain²

**Inflammatory Ocular Conditions with
Superficial Bacterial Ocular Infection**

LILLYMOX

Moxifloxacin 0.5%

EYE DROPS

1.Clin Ophthalmol. 2008 Mar; 2(1): 77–91.

2.Expert Opin Pharmacother. 2006 Jan;7(1):99-107.



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

For the use of Registered Medical Practitioner or Hospital or Laboratory.

**Best Way to Tackle
the Inflammatory Disorders with...**



Lillypred-4

Methylprednisolone 4mg

TABLETS

- Anti-inflammatory and immunomodulating properties¹
- Rapid, reliable and highly effective treatment of eczematous disorders than most topical corticosteroids²
- Has excellent local and systemic tolerability²
- Plays an important role in the treatment of multiple sclerosis³

ALLERGIC CONDITIONS | DERMATOLOGIC DISEASES

ENDOCRINE CONDITIONS | GASTROINTESTINAL DISEASES

HEMATOLOGIC DISEASES | NEOPLASTIC CONDITIONS


OPHTHALMIC CONDITIONS | RHEUMATOLOGIC CONDITIONS

PULMONARY DISEASES | RENAL CONDITIONS

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1. Acta Ortop Bras. 2017 Sep-Oct; 25(5): 206–208 2. Int J Clin Pract. 2006 Jan;60(1):85-92. 3. Mult Scler. 2005 Aug;11(4):425-32





**Lock the Spread of
Hideous Fungal Infections...**

LULINOV

Luliconazole 1% OINTMENT

- Shows strong fungicidal activity against *trichophyton spp.*, ***C. albicans & A. fumigatus***¹
- More potent antifungal activity than Ianoconazole¹
- Better fungicidal action than terbinafine against *trichophyton species*²
- Requires short duration of treatment; improves patient compliance³

**Tinea Pedis || Tinea Cruris
Tinea Corporis**

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1. Core Evidence 2014;9:113-124 2. Indian Dermatology Online Journal - March-April 2016 - Volume 7 - Issue 2, Pages-77-86
3. Infect Drug Resist. 2016; 9: 1-6.



**Attain Maximum
Relief**

**During Annoying
Spasmodic Pain...**

MEFNOV-D

Mefenamic Acid 250mg + Drotaverine HCl 80mg **TABLETS**

Drotaverine

- An antispasmodic; helps in alleviating pain; does not have side effects like anticholinergics¹
- Provides effective pain relief in patients with renal colic²

Mfenamic Acid

- Represents a rational therapy for treatment of primary dysmenorrhea³

**Dysmenorrhea || Post Surgical Uterine Spasm
Gastro-intestinal/ Renal Colic/ Biliary Colic**

Uterine Irritability And Pain Associated With

**IUCD || Dilation And Curettage
Pelvic Inflammatory Disease**


MEFNOV-P

Mfenamic Acid 100mg + Paracetamol 250mg/5ml
SUSPENSION

1. Saudi J Gastroenterol. 2014 Nov-Dec; 20(6): 378–382 2.BJU Int. 2008 Jul;92(1):92-6. 3. Int J Gynaecol Obstet. 1980;18(3):172-5.

For the use of Registered Medical Practitioner or Hospital or Laboratory.

Provide The Essential Nutrients To Body...



MEGANOV-9G

9G Antioxidant + Multivitamins + Multiminerals **SOFTGEL CAPSULES**

Antioxidants

- Scavenges reactive oxygen species sufficiently to prevent biological damage¹
- Maintains health, aging and age-related diseases²

Multivitamins + Multiminerals

- Improves overall health, prevents health problems and promotes bone and heart health³
- Improves symptoms and quality of life in patients with chronic fatigue syndrome⁴

High Oxidative Stress || Loss Of Appetite

Digestive Malabsorption || Pregnancy And Lactation

Functional Fatigue || Critically Ill Cases

Low Immunity

MEGANOV-ATOZ
Multivitamins + Multiminerals + L-Lysine

DROPS

MEGANOV-OD
Antioxidants + Multivitamins + Multiminerals
CAPSULES

1.Med Pract. 2017 May; 26(3): 201–217 2.Clin Interv Aging. 2007 Jun; 2(2): 219–236 3.Nutrients. 2018 Feb; 10(2): 248 4.Med Sci Monit. 2014; 20: 47–53



For the use of Registered Medical Practitioner or Hospital or Laboratory.

Win Over the Complicated Bacterial Infections...



MERONOV-1GM

Meropenem 1gm **INJECTION**

- Active against gram +ve & -ve microbes¹
- Better clinical efficacy rates than imipenem/cilastatin in skin infections²
- Greater efficacy than ceftazidime plus amikacin or tobramycin in nosocomial pneumonia²
- Only approved carbapenem with low propensity of inducing seizures hence suitable in bacterial meningitis³

SEVERE PNEUMONIA

BRONCHO-PULMONARY INFECTIONS IN CYSTIC FIBROSIS

COMPLICATED URINARY TRACT INFECTIONS

INTRA-ABDOMINAL INFECTIONS


INTRA- & POST-PARTUM INFECTIONS

COMPLICATED SKIN & SOFT TISSUE INFECTIONS

ACUTE BACTERIAL MENINGITIS

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1.NDA 50-706/S-022;Pg 3-23 2.Ther Clin Risk Manag. 2006 Dec; 2(4): 401–415. 3.Drugs. 2008;68(6):803-38



**Eliminate the Infections
Caused By Gram-Ve Bacteria...**

MIKALYL-500

Amikacin 500mg **INJECTION**

- Active against most gram-negative bacteria including gentamicin and tobramycin resistant strains¹
- Plays a key role in the treatment of severe hospital-acquired infections with Gram-negative bacteria²
- Alternative option for treatment of community-acquired lower UTIs caused by amikacin-susceptible ESBL-producing E. coli³

BACTERIAL SEPTICEMIA

RESPIRATORY TRACT INFECTIONS

BONES AND JOINTS INFECTIONS

CENTRAL NERVOUS SYSTEM INFECTIONS

SKIN AND SOFT TISSUE INFECTIONS

INTRA-ABDOMINAL INFECTIONS

BURNS AND POST-OPERATIVE INFECTIONS

COMPLICATED AND RECURRENT URINARY TRACT INFECTIONS

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1.Ther Drug Monit. 1985;7(1):12-25. 2.Clin Pharmacokinet. 2018 Oct;57(10):1217-1228 3.Infect Drug Resist. 2017; 10: 393-399.



Perfect Combo
to Cleave the Action of Harmful Bacteria...

MOXYNOV-CV 625

Amoxycillin 500mg + Clavulanic Acid 125mg

TABLETS

- Shows good activity against beta-lactamase producing strains of *H. influenzae* & *M. Catarrhalis* and also penicillin-susceptible and intermediate strains of *S. pneumoniae*¹
- Significantly better clinical and bacteriological responses than azithromycin¹
- Significantly more effective than amoxicillin alone after oral-surgical interventions²
- Effective in osteomyelitis caused by mixed anaerobic & aerobic pathogens³

SINUSITIS || LOWER RESPIRATORY TRACT INFECTIONS

ACUTE BACTERIAL OTITIS MEDIA

SKIN AND SKIN STRUCTURE INFECTIONS

URINARY TRACT INFECTIONS || BONE AND JOINT INFECTIONS

OTHER INFECTIONS (INTRA-ABDOMINAL SEPSIS & DENTAL INFECTIONS)

MOXYNOV-CV 375

Amoxycillin 250mg + Clavulanic Acid 125mg
TABLETS

MOXYNOV-CV

Amoxycillin 200mg + Clavulanic Acid 28.5mg
DRY SYRUP

MOXYNOV-CVDS

Amoxycillin 400mg + Clavulanic Acid 57mg
DRY SYRUP

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1. Drugs. 2003;63(3):311-40. 2. Bosn J Basic Med Sci. 2005 Feb;5(1):61-8. 3. Antimicrob Agents Chemother. June 2009 vol. 53 no. 6 2569-2578

Attain the Adequate Level of

NITROGEN

in Body...



ND[®]-NOV-50

Nandrolone Deconate 50mg INJECTION

- Most commonly used injectable steroid among anabolic steroids¹
- Reduces incidence of new vertebral fractures²
- Shows significant statistical increase in lean body mass²
- Significantly increases hemoglobin levels²

Negative Nitrogen Balance States

Post - Trauma / Burns / Surgery

Osteoporosis / Aplastic Anaemia

Patients on long-term treatment with corticosteroids

1. Int J Exp Pathol. 2015 Oct; 96(5):338-349. 2.J Gerontol A Biol Sci Med Sci. 2005 May;60(5):648-53.



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

For the use of Registered Medical Practitioner or Hospital or Laboratory.

**Minimize the
Stinging Neuropathy Pain with...**



~~NEURO~~NOV-G

Gabapentine 300mg + Methylcobalamin 500mcg TABLETS

Gabapentin

- Used for the treatment of neuropathic pain¹
- Effective in the treatment of pain & sleep interference associated with PHN²

Methylcobalamin

- Improves nerve conduction velocity & promotes injured nerve regeneration³
- Alleviates pain behaviors in diabetic neuropathy, low back pain & neuralgia³

DIABETIC NEUROPATHY

POST-HERPETIC NEURALGIA (PHN)

FIBROMYALGIA

DRUG / ALCOHOL INDUCED NEUROPATHY

PERIPHERAL NEUROPATHY

~~NEURO~~NOV-1500 2500 FORTE

Methylcobalamin 1500, 2500mcg

INJECTION

Methylcobalamin 1500mcg + B-Complex INJECTION

~~NEURO~~NOV-P

Pregabalin 75mg + Methylcobalamin 750mg
CAPSULES

For the use of Registered Medical Practitioner or Hospital or Laboratory.


1.Cochrane Database Syst Rev. 2017 Jan 3;1(1):CD012188. 2.JAMA. 1998 Dec 2;280(21):1837-42. 3.Neural Plast. 2013; 2013: 424651



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

NOVO-CEE

Vitamin C 500mg + Zinc 10mg + Vitamin D3
CHEWABLE TABLETS



Effectively Strengthen
the Immune System
with...

Vitamin C: Contributes to immune defense by supporting various cellular functions of both the innate and adaptive immune system¹

Vitamin D3: Enhances cellular innate immunity²

Zinc Sulphate: Reduces the severity of cold symptoms by acting as an astringent on the trigeminal nerve³

**LOW IMMUNITY | COMMON COLD/ FLU
VIRAL INFECTIONS | HIGH OXIDATIVE STRESS
RECURRENT RESPIRATORY TRACT INFECTIONS**

1. Nutrients. 2017 Nov; 9(11): 1211. 2. Nutrients. 2020 Apr; 12(4): 988. 3. CMAJ. 2012 Jul 10; 184(10): E551–E561.

Cut the Lifeline Of Aerobes & Anaerobes With...

Nevoclyn-600

Clindamycin 600mg **INJECTION**

- Exhibits broad spectrum antimicrobial activity including Gram-positive aerobes/anaerobes & Gram-negative anaerobes¹
- Preferred antimicrobial agent for serious infections of the female genital tract²
- Superior to metronidazole in patients with anaerobic pulmonary infections³



For the use of Registered Medical Practitioner or Hospital or Laboratory.

**LOWER RESPIRATORY TRACT INFECTIONS
SKIN AND SKIN STRUCTURE INFECTIONS
GYNECOLOGICAL INFECTIONS
INTRA-ABDOMINAL INFECTIONS
SEPTICEMIA
BONE AND JOINT INFECTIONS
PENICILLIN-ALLERGIC PATIENTS**

1.Expert Opin Pharmacother. 2007 Oct;8(14):2401-44. 2.Clin Ther. 1991 Jan-Feb;13(1):58-80. 3.Can J Infect Dis. 1998 Jan-Feb; 9(1): 22-28



**Get Rid of
Skin Infections with
Potent Combination...**

NOVODERM

Ofloxacin 0.75% w/w + Ornidazole 2% w/w + Itraconazole 1% w/w +
Clobetasol Propionate 0.05% w/w

CREAM

Ofloxacin: Broad-spectrum antibacterial; used in treatment of several local infections¹

Ornidazole: Broad spectrum cidal activity against anaerobic bacteria and kills bacteria that infect inflamed skin²

Clobetasol: Anti-inflammatory, anti-pruritic and vasoconstrictive; acts on inflamed skin and reduces itching²

Itraconazole: Effective and rapid treatment of candidiasis due to high tissue distribution³

IMPETIGO / INTERTRIGO || CONTACT DERMATITIS

CHRONIC DERMATITIS || ECZEMATOUS DERMATITIS

TINEA INFECTIONS || CANDIDIASIS

1. Adv Pharm Bull. 2017 June; 7(2): 229–239

2. Journal of Chemical and Pharmaceutical Research, 2016, 8(4):868-877

3. International Journal of Pharmacy and Pharmaceutical Sciences Vol 2, Issue 1, 2010, 104-112

For the use of Registered Medical Practitioner or Hospital or Laboratory.



Get Glowing,
Shiny Face with...

NOVO-GLOW

Hydroquinone 2.0%w/w + Tretinoin 0.025%w/w + Mometasone Furoate 0.1%w/w
CREAM

For the use of Registered Medical Practitioner or Hospital or Laboratory.

Hydroquinone: Depigmenting agent; used for the treatment of hyperpigmentation & melasma¹

Tretinoin: Facilitates removal of pigment by accelerating the keratinocytes turnover¹

Mometasone: Reduces irritation from tretinoin & hydroquinone and suppresses biosynthetic and secretory functions of melanocytes²

MELASMA

POST INFLAMMATORY HYPERPIGMENTATION FRECKLES / SOLAR LENTIGINES

1.Indian J Dermatol. 2009 Jan-Mar; 54(1): 92–93

2.Dermatol Ther (Heidelb). 2014 Dec; 4(2): 165–186





*Easy Way
to Keep the Joints & Cartilage
Well-Maintained...*

NOVOJOINT

Diacerein 50mg + Glucosamine Sulphate Pot. Chloride 750mg +
Methyl Sulfonyl Methane 250mg

TABLETS

Diacerein: Prevents breakdown of cartilage by reducing synthesis of cartilage-specific macromolecules & IL-1 β -stimulated secretion of enzymes¹

Glucosamine: Repairs cartilage by stimulating proteoglycan synthesis by chondrocytes²

Methylsulfonylmethane: Anti-inflammatory & analgesic; reduces pain and swelling in patients with knee osteoarthritis when administered alone or in combination^{2,3}

OSTEOARTHRITIS (KNEE & HIP)
SENILE CHONDRAL DEGENERATION
CHRONIC INFLAMMATORY ARTHRITIS

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1. Eur J Med Res. 2015; 20(1): 24

2. J Can Chiropr Assoc. 2011 Mar; 55(1): 47–55

3. Exp Ther Med. 2011 Sep-Oct; 2(5): 893–899

NOVOLYC

Lycopene + Multivitamin + Multimineral
SOFTGEL CAPSULES

Attain Multiple Health Benefits with...



Lycopene:

- Powerful antioxidant; helps to prevent different kinds of oxidative damages in tissues & cells¹
- Reduces the risk of cardiovascular disease¹

Multivitamin + Multimineral:

- Improves health & prevents chronic diseases by increasing nutrient intakes¹

HIGH OXIDATIVE STRESS || DIGESTIVE MALABSORPTION

ANOREXIA / FUNCTIONAL FATIGUE

DIABETES / OBESITY / DYSLIPIDEMIA

CARDIOVASCULAR COMPLICATIONS || INFERTILITY

NOVOLYC

Lycopene + Multivitamin + Minerals + Antioxidant
SYRUP

1.J Nephropharmacol. 2015; 4(2): 49–51. 2.Adv Nutr. 2013 Nov; 4(6): 644–656



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

For the use of Registered Medical Practitioner or Hospital or Laboratory.



NOVOPIP-TZ-4.5

Piperacillin Sodium 4mg + Tazobactam 0.5gm **INJECTION**

Piperacillin: Active against gram-negative, gram-positive and anaerobic organisms¹

Tazobactam: Preserves the activity of piperacillin in the presence of narrow and extended spectrum β -lactamases²

Combination: Effective and well-tolerated in patients with lower respiratory tract infections, intra-abdominal infections & skin and soft tissue infections³

LOWER RESPIRATORY TRACT INFECTIONS
URINARY TRACT INFECTIONS
INTRA-ABDOMINAL INFECTIONS
SKIN AND SKIN STRUCTURE INFECTIONS
BACTERIAL SEPTICAEMIA
POLYMICROBIC INFECTIONS

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1. PT. 2013 Aug; 38(8): 462-464, 483. 2. Antimicrob Agents Chemother. 2019 Feb; 63(2): e01906-18. 3. Pharmacoeconomics. 2001;19(11):1135-75



Maintain the
Desired Count of Platelets
In Blood...

NOVOPLAT

Carica Papaya Leaf 350mg + Goat Milk Powder 100mg + Tinospora Cordifolia 150mg + Wheat Germ Oil 40mg + Swertia Chirata 125mg

TABLETS

Carica Papaya Leaf: Rapidly improves platelet counts & red cell membrane stabilization¹

Goat Milk Powder: Maintains body fluid balance in dengue patients²

Tinospora Cordifolia: Supports standard white blood cell structure, function, and levels³

Wheat Germ Oil: Modifies the human colon microflora by lowering Gram-negative bacteria⁴

Swertia Chirata: Antimicrobial activity against Gram positive and Gram negative bacteria⁵

**Thrombocytopenia & Low WBC Count In
Dengue / Malaria / Typhoid / Viral Fever
Acute Microbial Infections**

Chemotherapy

NOVOPLAT
PLATELET ENHANCER SYRUP

1.BMC Complement Altern Med. 2019; 19: 265. 2.Mahendru Gunjan et. al. / JPBMS, 2011, 8 (06) 3.Heliyon. 2019 Sep; 5(9): e02437.
4.BMJ Open. 2016; 6(1 1): e013098. 5.Pharmacognosy Res. 2015 Jun; 7(Suppl 1): S57–S62.

For the use of Registered Medical Practitioner or Hospital or Laboratory.


NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

Novostone

Kidney Stone

SYRUP

**PREVENT THE RECURRENT
FORMATION OF KIDNEY STONES...**



- Prevents the accumulation and deposition of oxalic acid and calcium oxalate in urine
- Normalizes urinary pH and alleviates burning during urination
- Beneficial in soothing an irritated bladder
- Prevents the formation of kidney stones
- Flushes out small stones from the kidneys

BURNING MICTURITION
KIDNEY / URETER / BLADDER STONES
UROLITHIASIS / CRYSTALLURIA / DYSURIA
HYPERURICEMIA | CHRONIC UTIs

For the use of Registered Medical Practitioner or Hospital or Laboratory.

Novovital

Kalmegh 200mg + Kasmard 250mg + Kasni 500mg + Bhringraj 500mg +
Bhumi Amla 500mg + Vidang 150mg + Punemova 250mg + Haritika 300mg +
Kutkai 50mg + Shahtra 300mg + Revand Chinni 170mg + Kakmachi 100mg +
Mirch 30mg + Silymarin 140mg

AYURVEDIC LIVER TONIC



- ✓ Supports improvement of digestion and regulation of lipids metabolism in liver
- ✓ Arrests the progression of cirrhosis and prevents further liver damage
- ✓ Helps in improving liver detoxification and supports treatment of jaundice
- ✓ Protects hepatic parenchyma against toxins and promotes regeneration of liver cells
- ✓ Helps to cure loss of appetite and strengthens the immune system

HEPATITIS || JAUNDICE / CIRRHOsis
ALCOHOLIC LIVER DISEASE || LOSS OF APPETITE / ANOREXIA
PROLONGED ILLNESS & CONVALESCENCE

**Drag Out
the Invaded Parasites
Out of the Body...**



Novoworm

Albendazole 200mg SUSPENSION

- Wide activity against helminth parasites, hookworms, ***A. lumbricoides*, *T. trichiura*, *Echinococcus* sp. and *Taenia* sp¹**
- More efficacious than mebendazole against hookworm infections²
- Cures infection and reduces intensity of infection with a higher efficacy than mebendazole³

**Roundworm / Whipworm / Pinworm
Threadworm / Hookworm / Tapeworm**

Strongyloides Stercoralis

**Giardiasis (Duodenalis/ Intestinalis/ Lamblia)
Infections**

1.PLoS Negl Trop Dis. 2010 May; 4(5): e682 2.PLoS One. 2011; 6(9): e25003 3.PLoS Negl Trop Dis. 2012 Jan;6(1):e1417

Push Away
the Resistant Bacteria
from their Comfort Zone...



NOVOZONE-SB1.5

Cefoperazone 1000mg + Sulbactam 500mg **INJECTION**

- ⦿ Active against gram-negative bacilli & β -lactamase-positive Enterobacteriaceae¹
- ⦿ Highly safe, clinically effective & viable alternative than aminoglycoside & clindamycin for intra-abdominal infections²
- ⦿ Superior synergistic effects against *K. pneumoniae*, *P. mirabilis* & *P. vulgaris* than cefoperazone alone³
- ⦿ Superior & more active than variety of β -lactam agents & cefoperazone alone against Acinetobacter species⁴

RESPIRATORY TRACT INFECTIONS

URINARY TRACT INFECTIONS

INTRA-ABDOMINAL INFECTIONS

SEPTICAEMIA/ MENINGITIS

SKIN AND SOFT TISSUE INFECTIONS

BONE AND JOINT INFECTIONS

PELVIC INFLAMMATORY DISEASE

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1. Diagnostic Microbiology and Infectious Disease, Vol 3, Issue 6, 1985, Pages 489-499

2. Journal of Antimicrobial Chemotherapy, Vol 25, Issue 3, 1990, Pages 423-433

3. Antibiot Khimioter. 1995; 40(5):38-41

4. Yonsei Med J. 2006 Feb 28; 47(1): 63-69





Erase
the Disgusting
Acid Reflux...

OCINOV-D

Omeprazole 20mg + Domperidone 10mg PELLETS CAPSULES

OMEPRAZOLE

- Controls gastric acid secretion at final stage of acid secretory pathway & reduces acid secretion¹

DOMPERIDONE

- Antiemetic & prokinetic; symptomatically manages upper GIT motility disorders²
- Blocks dopamine receptors in CTZ & controls nausea & vomiting³

For the use of Registered Medical Practitioner or Hospital or Laboratory.

GERD || DYSPEPSIA

CHRONIC GASTRITIS || POST-OPERATIVE NAUSEA & VOMITING
NAUSEA ASSOCIATED WITH ACID PEPTIC DISORDERS

OCINOV-20

Omeprazole 20mg CAPSULES

1.Drugs. 1991 Jul;42(1):138-70 2.CMAJ. 1986 Sep 1; 135(5): 457-461 3.Neuropsychiatr Dis Treat. 2013; 9: 1411-1415



Empirical Therapy for Mixed GUT Infections...

Ofloly-M

Ofloxacin 50mg + Metronidazole 120mg + Simethicone 10mg
SUSPENSION

Ofloxacin

- Broad spectrum activity against gram-positive and gram-negative aerobic bacteria¹
- Preferable over nalidixic acid in the treatment of bacillary dysentery²

Metronidazole

- Good activity against pathogenic anaerobic bacteria³

Simethicone

- Antifoaming agent that improves symptoms of upper abdominal bloating⁴

Diarrhoea & Dysentery Mixed Git Infections

Ofloly-OZ

Ofloxacin 200mg + Ornidazole 500mg
TABLETS

Ofloly-200

Ofloxacin 200mg
TABLETS

1.Antimicrob Agents Chemother. 1991 Nov; 35(11): 2447-2449. 2.Trans R Soc Trop Med Hyg. May-Jun 2000;94(3):323-6. 3.Clin Infect Dis. 2010 Jan 1;50 Suppl 1:S16-23.
4.Surg Endosc. 2019 Dec;33(12):3899-3909.



For Rapid Onset
of Antiemetic Effect with...

ONDALY-MD

Ondansetron Hydrochloride 4mg MOUTH DISSOLVING TABLETS

- Effective first-line antiemetic in patients undergoing chemotherapy, radiotherapy and surgery¹
- More effective at reducing nausea and vomiting than metoclopramide or chlorpromazine¹
- Significantly more favourable tolerability profile than chlorpromazine¹
- Lower incidence of side effects like drowsiness and anxiety than metoclopramide²

CHEMOTHERAPY INDUCED NAUSEA / VOMITING

RADIOThERAPy INDUCED NAUSEA / VOMITING

POSTOPERATIVE NAUSEA / VOMITING

ONDALY

Ondansetron 4mg

DROPS

Ondansetron Hydrochloride 2mg/ml

INJECTION

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1. Paediatr Drugs. 2001;3(6):441-79. 2. Emerg (Tehran). 2015 Autumn; 3(4): 137-140





**Get Rapid Relief
from Nasal Stuffiness with...**

Otrinov

Xylometazoline Hydrochloride 0.1% w/v

NASAL DROPS

- Nasal decongestant that constricts nasal blood vessels & increases nasal airflow¹
- Helps patients to breathe more easily for a longer period of time¹
- Provides fast & effective relief of nasal congestion²
- Expands the volume of nasal cavity & prevents nasal bleeding³

For the use of Registered Medical Practitioner or Hospital or Laboratory.

**FOR THE SYMPTOMATIC RELIEF OF NASAL CONGESTION,
PERENNIAL & ALLERGIC RHINITIS
(INCLUDING HAY FEVER), SINUSITIS**

1.Am J Rhinol. Sep-Oct 2008;22(5):491-6. 2.Curr Med Res Opin. 2010 Apr;26(4):889-99. 3.Korean J Anesthesiol. 2013 Aug; 65(2): 132-135.





**Revitalize the Health
for Complete
Well-Being...**

Protinov

Vitamins + Minerals + DHA + Mecobalamin + Lycopene
POWDER (CHOCOLATE)

Vitamins + Minerals: Improves health and prevents chronic diseases by increasing nutrient intakes¹

DHA: Protects tissues from oxidative injury and stress²

Mecobalamin: Offers protection from immune response-induced oxidative stress³

Lycopene: Powerful antioxidant; ability to quench free radicals that cause damage to cells and reduces the risk of cardiovascular disease⁴

HIGH OXIDATIVE STRESS

DIGESTIVE MALABSORPTION

ANOREXIA / FUNCTIONAL FATIGUE

DIABETES / OBESITY / DYSLIPIDEMIA

CARDIOVASCULAR COMPLICATIONS

INFERTILITY

1. *Adv Nutr.* 2013 Nov; 4(6): 644–656 2. *Nutrients.* 2013 Jul; 5(7): 2777–2810 3. *Nutrients.* 2019 Feb; 11(2): 482. 4. *J Nephropharmacol.* 2015; 4(2): 49–51

For the use of Registered Medical Practitioner or Hospital or Laboratory.



Create a Barrier Against Annoying Acid Reflux

RABELYL-DSR

Rabeprazole 20mg + Domperidone 30mg(SR) PELLETS CAPSULES

Rabeprazole

- Improves GERD-related symptoms (regurgitation, belching, bloating, early satiety & nausea)¹
- More effective in relieving the GERD symptoms than omeprazole²

Domperidone

- Regulates the motility of gastric & small intestinal smooth muscle³
- Relieves vomiting, abdominal pain & distension³

Gastro-Oesophageal Reflux Disease

Erosive Oesophagitis

RABELYL-20
Rabeprazole 20mg TABLETS

RABELYL-D
Rabeprazole 20mg + Domperidone 10mg TABLETS

RABELYL-LSR
Rabeprazole 20mg + Levosulpiride 75mg
CAPSULES

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1. Expert Opin Drug Saf. 2009 Jan;8(1):119-26 2. Gastroenterol Res Pract. 2013; 2013: 327571. 3. Ann Pharmacother. 1999 Apr;33(4):429-40.





Terminate the Spread of
Superficial Fungal Infections...

TERBOLY-250

Terbinafine Hydrochloride 250mg

TABLETS

- Broad-spectrum fungicidal activity thus used in the treatment of superficial fungal infections¹
- Efficacious and safe in the treatment of patients with dermatophytosis¹
- Higher efficacy rates and lower relapse rates in the treatment of tinea corporis as compared with itraconazole²

**TINEA CORPORIS || TINEA CRURIS
TINEA PEDIS || ONYCHOMYCOSIS**

TERBOLY

Terbinafine Hydrochloride 1%w/w +
Benzylalcohol 1%w/w


CREAM

1.Indian J Dermatol. 2017 Jul-Aug; 62(4): 395-399 2.Clin Cosmet Investig Dermatol. 2009; 2: 49-63

Trapinov

Tranexamic Acid 500mg

INJECTION



- Reduces blood loss, bleeding time and transfusion needs after vaginal births and cesarean sections¹
- Early administration after severe trauma significantly increase the rate of survival¹
- Inhibits fibrin cleavage hence reduces the risk of haemorrhage¹
- Reduces blood transfusions without increased incidence of thromboembolic in the trauma population²

TO PREVENT / REDUCE BLOOD LOSS IN

Dysfunctional Uterine Bleeding

IUD Menorrhagia

Conization / Amputation of Cervix

Post Partum / Ante Partum Hemorrhage


During /After Abdominal/ Vaginal Surgery

Severe Trauma

1. Wien Klin Wochenschr. 2017; 129(9): 303–316.

2. Curr Opin Anaesthesiol. 2015 Apr; 28(2): 191–200

For the use of Registered Medical Practitioner or Hospital or Laboratory.



EXPEL OUT
The Sticky Mucus
From Airways...

TUSNOV-A

Ambroxol 15mg + Terbutaline 1.25mg + Guaiphenesin 50mg +
Menthol 1.5mg **SYRUP**

Ambroxol: Facilitates expectoration and eases productive cough¹

Terbutaline: Increases mucociliary clearance in asthmatic patients²

Guaiphenesin: Loosens mucus in the airways and makes cough more productive³

Menthol: Provides symptomatic relief for upper airway congestion⁴

BRONCHITIS / BRONCHIAL ASTHMA / EMPHYSEMA

BRONCHOPULMONARY DISORDERS

Bronchospasm, Mucus Plugging & Expectoration

TUSNOV-B

Terbutaline Sulphate 1.25mg + Guaiphenesin 50mg +
Bromhexine HCl 2mg + Menthol 0.5mg **SYRUP**

TUSNOV-D

Dextromethorphan Hydrobromide 10mg + CPM 2mg +
Phenylephrine HCl 5mg **SYRUP**

TUSNOV-L

Levosalbutamol 1mg + Ambroxol 30mg +
Guaiphenesin 50mg **SYRUP**

TUSNOV

Ayurvedic Cough **SYRUP**



1. Expert Opin Drug Metab Toxicol. 2008 Aug;4(8):1119-29. 2. Thorax. 1991 Nov; 46(11): 817-823. 3. Multidiscip Respir Med. 2017; 12: 31.
4. Can Respir J. 2013 Jan-Feb; 20(1): e1-e4.

Promotes
Active & Healthy Life...



UBINOV-FORTE Q10

Co-enzyme Q10 100mg + Lycopene 2000mcg + L-carnitine 500mg +
Omega-3 Fatty Acids (EPA + DHA) + Vitamins + Minerals

SOFTGEL CAPSULES

Coenzyme Q10: Generates ATP & inhibits oxidation of proteins, DNA & lipids¹

Lycopene: Potent antioxidant; reduces the oxidative damage to the cells²

L-carnitine: Reduces triglycerides and cholesterol & increases HDL³

Omega-3 Fatty Acid (Epa & Dha): Reduces the risk of coronary outcomes and overall mortality⁴

Vitamines + Minerals: Prevents certain chronic conditions and improves health thus increases longevity⁵

HIGH OXIDATIVE STRESS

DIGESTIVE MALABSORPTION

ANOREXIA / FUNCTIONAL FATIGUE

DIABETES / OBESITY / DYSLIPIDEMIA

CARDIOVASCULAR COMPLICATIONS | INFERTILITY

For the use of Registered Medical Practitioner or Hospital or Laboratory.

1.Ochsner J. 2010 Spring; 10(1): 16–21 2.Annu Rev Food Sci Technol. 2010; 1: 10.1146/annurev.food.102308.124120

3.Journal of nutrition and metabolism, vol. 2012(2012), article ID 510483, 6 4.Curr Treat Options Cardiovasc Med. 2016; 18(11): 69 5. Clin Interv Aging. 2006 Mar; 1(1): 81–91



**When Dangerous Bacteria Attack,
Attain True Relief with...**

XIMENOV- $\frac{100}{200}$

Cefixime 100, 200mg TABLETS

- Broad spectrum of activity against gram-positive and -negative bacteria¹
- More efficacious in treating ***H. influenzae*** otitis media than amoxicillin²
- Superior to ciprofloxacin in the treatment of bacterial pneumonia³

UNCOMPLICATED URINARY TRACT INFECTIONS

OTITIS MEDIA | PHARYNGITIS / TONSILLITIS

ACUTE EXACERBATIONS OF CHRONIC BRONCHITIS

UNCOMPLICATED GONORRHEA (CERVICAL/URETHRAL)

For the use of Registered Medical Practitioner or Hospital or Laboratory.

XIMENOV- $\frac{50}{100}$

Cefixime 50, 100mg DRY SYRUP

XIMENOV-OF

Cefixime 50mg + Ofloxacin 50mg
Cefixime 200mg + Ofloxacin 200mg DRY SYRUP TABLETS

1. DICP. 1990 May;24(5):489-95 2.J Pediatr. 1991 Jul;119(1 Pt 1):117-22 3.Ann Ib Postgrad Med. 2015 Dec; 13(2): 72-78





**A Strong Shaft to
Destroy the
Resistant Bacteria...**

XONENOV-SB 1.5

Ceftriaxone 1000mg + Sulbactam 500mg

INJECTION

Ceftriaxone

- Long elimination half-life; permits once-daily administration¹
- Effective in serious and difficult-to-treat community-acquired infections including meningitis, pneumonia and nonresponsive acute otitis media¹

Sulbactam

- Irreversible inhibitor of β -lactamase, prevents enzyme interaction with antibiotic²
- Augments the activity of ceftriaxone against β -lactamase-producing bacteria²

**LOWER RESPIRATORY TRACT INFECTIONS
GENITOURINARY TRACT INFECTIONS
BACTERIAL SEPTICAEMIA
BONE & JOINT INFECTIONS
INTRA-ABDOMINAL INFECTIONS
PERI-OPERATIVE PROPHYLAXIS**

XONENOV

Ceftriaxone Sodium 1000mg INJECTION

1. Drugs. 2002;62(7):1041-89. 2. Zhonghua Yi Xue Za Zhi. 2004 Nov 17;84(22):1879-82.



For the use of Registered Medical Practitioner or Hospital or Laboratory.



Right Way to Destroy
INFECTIOUS BACTERIA...



ZITHNOVO-²⁵⁰/₅₀₀

Azithromycin 250, 500mg

TABLETS

- ◆ Active against gram-positive and gram-negative bacteria, atypical bacteria and some protozoa¹
- ◆ Decreases frequency of acute exacerbations of COPD²
- ◆ More effective and better tolerated treatment for chlamydia cervicitis in pregnancy than erythromycin³

**ACUTE BACTERIAL EXACERBATIONS OF COPD
ACUTE BACTERIAL SINUSITIS
COMMUNITY-ACQUIRED PNEUMONIA
PHARYNGITIS/TONSILLITIS
SKIN AND SKIN STRUCTURE INFECTIONS
URETHRITIS AND CERVICITIS
GENITAL ULCER DISEASE**

ZITHNOVO-200

Azithromycin 200mg

SUSPENSION

1. Ther Adv Ophthalmol. 2018 Jan-Dec; 10: 2515841418783622 2. N Engl J Med 2011;365:689-98
3. Infect Dis Obstet Gynecol. 1996; 4(6): 333-337



NOVOLILLY™
Pharmaceutical Pvt. Ltd.
(A Global Pharmaceutical Company)

For the use of Registered Medical Practitioner or Hospital or Laboratory.